

New Equipment

from 06/2022 to 09/2023

Play value

Our Small Elephant with Trunk Slide can be seen from a long way away and creates a very special atmosphere. Small and big children immediately recognise the friendly looking animal and want to explore curiously the life within. A large sand play area is situated in the body of the elephant, which invites them to hide away and engage in role-playing games. The slide in the trunk allows a quick getaway to the ground.

Fundamental characteristics

- Friendly appearance
- Very special appeal
- Eye-catcher of a play area
- Attractive meeting point
- Sand play area under the Platform
- Incentive for playing: curiosity, role-playing games
- Movement: climbing up and around, sliding


Recommended for

- Kindergarten children
- School children
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar
- Leisure areas



Order No. 4.08600 Small Elephant with Trunk Slide


Small Elephant with Trunk Slide



4.08600

Order No. 4.08600
Small Elephant with Trunk Slide

Safety distance →
 Device dimensions —●—
 Functional distance —|—



Scale 1:100

Safety check according to DIN EN 1176

Components

- 1 Platform with 2 ladders
4 steel feet
- 1 Trunk slide with ground anchor

Installation information

Surfacing requirements
 corresponding to a fall height of ≤ 1.00 m
 (please refer to price list for more
 detailed information)

Foundations

Elephant

4 items 60 x 60 x 60 cm
 Excavation depth 80 cm

Trunk Slide

Excavation depth
 for ground anchor 55 cm

Attention:

**Exact measurements may vary;
 for all installation dimensions refer
 to current assembly instructions.**

Technical changes reserved.

Technical information

Equipment made of non-impregnated
 mountain larch

Peeled white

Palisades peeled white means that bark,
 cambium and sapwood are removed,
 the natural shape of the trunk is
 preserved and can be experienced



Bevel cut

Vertical stand posts with bevelled end
 grain section as constructive wood
 preservation measure



Core-free

Sawn-timbers core-free, thus decreasing
 occurrences of cracking and undesired
 changes in shape



Claddings

Claddings made of mountain larch
 (4 – 5 cm). Peeled white by hand,
 natural tree surface remains tangible
 and perceptible



Tongue and groove

Tongue and groove planks made of
 4 cm solid wood, highly resilient, no
 trickling of dust / sand, protection
 against direct rain



Hardwood rungs

Climbing rungs made of hardwood (ash)
 \varnothing 4.2 cm, milled and mortised, secured
 against twisting, easy to grip and not
 cold for children to touch



Ground anchor

All parts used for anchoring to the
 ground are made of hot-dip galvanised
 steel or stainless steel



**For more detailed explanation of the
 quality characteristics see price list.**


High-quality carpentry joints

Trunk slide made of stainless steel,
 glass bead blasted

Dimensions

(small deviations possible)

Height	1.90 m
Height of platform	1.00 m
Floor size	1.80 x 0.80 m
Length	3.65 m
Width	2.15 m



4.08600

Play value

The tall slender stork invites role play as well as lively spinning fun. A child can sit on it and snuggle up against it, while fellow playmates can stand on the turntable and thus enjoy the movement as well. Its aesthetic shape gives the play space a special character.

Fundamental characteristics

- Child proportions according to ergonomic requirements
- Natural wooden surface which appeals to the senses
- Turning movement
- Incentive for playing: role-playing games
- Movement: riding, moving one's centre of gravity

Recommended for

- Kindergarten children
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar





Rotating Stork



4.24283

Order No. 4.24283
Rotating Stork



Safety distance →
Device dimensions —●—
Functional distance —|—

Scale 1:100

Safety check according to DIN EN 1176

Components

- 1 Stork
- 1 Foundation frame

Installation information

Surfacing requirements corresponding to a fall height of ≤ 0.60 m (please refer to price list for more detailed information)

Foundations
1 item 60 x 60 x 20 cm
Excavation depth 60 cm

Attention:
Exact measurements may vary;
for all installation dimensions refer
to current assembly instructions.
Technical changes reserved.

Technical information

Equipment made of non-impregnated mountain larch, Inner frame made of stainless steel, glass bead blasted

Peeled white

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced



Plywood

Plywood made of mountain larch, three-layer (3 cm) or five-layer (4 cm). High dimensional stability, waterproof, glued according to DIN EN 13353:2011



Richter Hercules type rope

Richter Hercules type rope, a combination of galvanised six-strand steel cables and polyester yarn, diameter > 20 mm, laid and glued with very good abrasion resistance, strong sheathing even in the case of damage by puncturing



Aluminium rope pressing

Aluminium rope pressing, cylindrically pressed, with rounded ends



Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



Roller bearings

High-quality roller bearings made of chrome steel or stainless steel for rotating elements, easy to maintain and exchange, sealed



For more detailed explanation of the quality characteristics see price list.

Sturdy, welded substructure, painted

Surfacing made of checker plate

Foundation frame made of steel

Dimensions

(small deviations possible)

Height	1.40 m
Diameter	0.50 m
Weight	60 kg
with Foundation frame	70 kg



4.24283



Play value

The friendly little bird is a multifunctional, ambience-creating furnishing element for toddler areas. It is used for cozy sitting or gentle holding and is integrated into role-playing games. Through its emotional appeal, it also serves as a memento and helps the child build a relationship with the play space. A slight spinning motion is especially fun for the littlest ones.

Fundamental characteristics


- Child proportions according to ergonomic requirements
- Natural wooden surface which appeals to the senses
- Turning movement
- Incentive for playing: role-playing games
- Movement: riding, moving one's centre of gravity

Recommended for



- Kindergarten children
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar



Wader Bird



Order No. 4.24286
Wader Bird



Safety distance →
Device dimensions —●—
Functional distance —|—

Scale 1:100

Safety check according to DIN EN 1176

Components

- 1 Wader Bird
- 1 Pre-fabricated foundation made of reinforced concrete C35/45

Installation information

Surfacing requirements corresponding to a fall height of ≤ 0.60 m (please refer to price list for more detailed information)

Foundations
1 Pre-fabricated foundation (delivered with equipment)
Excavation 40 x 90 x 20 cm

Recommendation

When installed in loose ground, the pre-fabricated concrete foundation should be covered durably, e.g. with safety tiles.

Attention:

Exact measurements may vary; for all installation dimensions refer to current assembly instructions.

Technical changes reserved.

Technical information

Equipment made of non-impregnated mountain larch, Inner frame made of stainless steel, glass bead blasted

Peeled white

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced



Plywood

Plywood made of mountain larch, three-layer (3 cm) or five-layer (4 cm). High dimensional stability, waterproof, glued according to DIN EN 13353:2011



Richter Hercules type rope

Richter Hercules type rope, a combination of galvanised six-strand steel cables and polyester yarn, diameter > 20 mm, laid and glued with very good abrasion resistance, strong sheathing even in the case of damage by puncturing



Aluminium rope pressing

Aluminium rope pressing, cylindrically pressed, with rounded ends



Relief cut

Targeted relief cut as an effective measure against cracks caused by drying. The cut defines the position of the stress equalization in the trunk and minimises natural cracking



For more detailed explanation of the quality characteristics see price list.

Turning mechanism and fixings hot-dip galvanised

Dimensions

(small deviations possible)

Length	0.50 m
Width	0.25 m
Sitting height	0.35 m
Weight	31 kg
with foundation	116 kg



4.24286

Play value

With our Catamaran, even landlubbers go on a big trip. The childish explorers can rock merrily on the waves, especially when someone stands at the mast and provides a strong wind. A not so brave sailor sits at the tiller and holds the course. You don't fall off even in a heavy gale because you can hold on tightly everywhere. The net between the two gliders not only provides additional fall protection, but also invites you to chill out and observe. After the rest, it's back to fun role-playing games with momentum and movement.




Catamaran

Fundamental characteristics


- Unique and original
- Three-point suspension evokes the illusion of being on a sailing boat
- Incentive for playing: shape, mast guy
- Movement: moving one's centre of gravity, rocking, swinging

Recommended for

- Kindergarten children
- School children
- Supervised play areas, such as kindergartens, schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar



6.02500



Safety check according to DIN EN 1176

Components

- 2 Hulls incl. rudder
- 1 Mast
- 3 Crossbars
- 1 Net
- 4 Stand posts of robinia

Installation information

Surfacing requirements corresponding to a fall height of ≤ 1.00 m (please refer to price list for more detailed information)

Foundations
4 items 80 x 100 x 80 cm
Excavation depth 100 cm

Attention:
Exact measurements may vary;
for all installation dimensions refer
to current assembly instructions.
Technical changes reserved.

Technical information

Equipment made of non-impregnated mountain larch / robinia

Peeled white

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced



Bevel cut

Vertical stand posts with bevelled end grain section as constructive wood preservation measure



Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



Hercules rope

Hercules rope, for spliced net connections. A compound of steel rope for the core and polyester or polyamide yarn for the sheath. High abrasion resistance, 4 or 6 strands



Aluminium rope pressing

Aluminium rope pressing, cylindrically pressed, with rounded ends



Universal joint

Drop-forged, hot-dip galvanised universal joint, consists of two sintered bushes, for free swinging in any direction



Profiled washer

Profiled washer for covering protruding screw heads according to standard, improved pressure distribution and protection against water. Impedes loosening the bolt



Adjustable

Adjustable two-piece bolt connection, easy to maintain, no projecting threads



Sintered bush

For all reciprocating movements we use sintered plain bearings which are self-lubricating in use and can easily be exchanged if necessary



Chains

Chains made of hot-dip galvanized steel (1.4301 / 1.4571 at extra charge) welded before galvanising, short-linked, without eyelets on the connecting parts, easy to exchange and shorten



For more detailed explanation of the quality characteristics see price list.


Fittings hot-dip galvanised

Flag made of weatherproof PVC fabric

Dimensions

(small deviations possible)

Length	3.35 m
Width	1.45 m
Seat height	0.65 m
Weight	385 kg



6.02500



Play value

Our Fishing Boat invites young and old adventurers to set off on a tour of discovery. The stern of the ship can be climbed via a ladder, the bow via a climbing net. The two ship elements are connected by a net tunnel so that role-playing games can be extended to the entire ship at any time. The tunnel is an additional exercise and balancing challenge that is fun for little ones and older children alike. And of course, just like a real pirate ship, the Fishing Boat has a steering wheel and a ladder. The sand crane at the stern of the ship completes the experience and gives even younger children the opportunity to become deeply engaged in play with the elements.

Fundamental characteristics


- Child-oriented dimensions
- Wooden surface that appeals to the senses
- Emotionally appealing design
- Friendly appearance
- Incentive for playing: role-playing games
- Movement: climbing, balancing

Recommended for


- School children
- Public play areas without supervision, such as playgrounds, parks or similar



Fishing Boat



8.02050



Safety check according to DIN EN 1176

Components

- 1 Bow with floor, railing and steel feet
- 1 Stern with 2 floor elements, railing, side panels and steel feet
- 1 Mast with steel foot and flag made of corrugated stainless steel sheet metal, thickness 2 mm, not rotateable
- 1 Round table
- 1 Net tunnel
- 1 Sand Crane
- 1 Sand Chute
- 1 Shovel
- 1 Steering Wheel

Installation information

Surfacing requirements corresponding to a fall height of ≤ 2.00 m (please refer to price list for more detailed information)

Foundations

Bow

1 item 170 x 80 x 60 cm
Excavation depth 80 cm

1 item 110 x 70 x 60 cm
Excavation depth 80 cm

Stern

1 item 280 x 80 x 60 cm
Excavation depth 80 cm

2 items 60 x 60 x 60 cm
Excavation depth 80 cm

Knot Rope

1 item 30 x 30 x 30 cm
Excavation depth 60 cm

Spider Net

2 items 50 x 50 x 40 cm
Excavation depth 80 cm

Attention:

**Exact measurements may vary;
for all installation dimensions refer
to current assembly instructions.**
Technical changes reserved.

Dimensions

(small deviations possible)

Length	7.75 m
Width incl. Net	3.65 m
Height	4.50 m
Weight	approx. 2000 kg

Technical information

Equipment made of mountain larch

Peeled white

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced



Bevel cut

Vertical stand posts with bevelled end grain section as constructive wood preservation measure



Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



Tongue and groove

Tongue and groove planks made of 4 cm solid wood, highly resilient, no trickling of dust / sand, protection against direct rain



Hardwood rungs

Climbing rungs made of hardwood (ash) $\varnothing 4.2$ cm, milled and mortised, secured against twisting, easy to grip and not cold for children to touch



Richter Hercules type rope

Richter Hercules type rope, a combination of galvanised six-strand steel cables and polyester yarn, diameter > 20 mm, laid and glued with very good abrasion resistance, strong sheathing even in the case of damage by puncturing



Hercules rope

Hercules rope, for spliced net connections. A compound of steel rope for the core and polyester or polyamide yarn for the sheath. High abrasion resistance, 4 or 6 strands



Aluminium rope pressing

Aluminium rope pressing, cylindrically pressed, with rounded ends



S-connectors

S-connectors $\varnothing 8.1$ mm, made of high-quality stainless steel, rounded



Profiled washer

Profiled washer for covering protruding screw heads according to standard, improved pressure distribution and protection against water. Impedes loosening the bolt



Adjustable

Adjustable two-piece bolt connection, easy to maintain, no projecting threads



Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel




Chains

Chains made of hot-dip galvanized steel (1.4301 / 1.4571 at extra charge) welded before galvanising, short-linked, without eyelets on the connecting parts, easy to exchange and shorten



For more detailed explanation of the quality characteristics see price list.



8.02050



Play value

Our Sandstone Marble Run offers a fun way to spend time. It is made of solid sandstone blocks with a natural surface that has an interesting touch and feel. Each marble run is unique, the corners and edges of the runs have been rounded off in a child-friendly way, and the sandstones can also serve as seats. Because we make sure that the marble runs can be played with at all levels, this piece of playground equipment promotes inclusive play.

Fundamental characteristics

- Appealing design and construction
- Child-oriented dimensions
- Natural surface for tactile sensory experience
- Incentive for playing: play together, communicate
- Movement: climbing, sitting



Sandstone Marble Run Samuba

Recommended for

- Kindergarten children
- School children
- Young people
- Adults
- Older people
- Supervised play areas such as kindergartens, schools, after school programmes or similar
- Public play areas without supervision such as playgrounds, parks or similar

Barrier-free

- Independent play
- If subsurfacing allows access



8.11000





8.11100



8.11200

Order No. 8.11200
Big Sandstone Marble Run Samuba

Safety distance →
 Device dimensions —●—
 Functional distance —|—



Scale 1:50

Safety check according to DIN EN 1176

Components

- 1 Sandstone marble run on a pallet
- 1 Bag of glass marbles (Ø 35 mm) as basic equipment

Installation information

Surfacing requirements: firm and level corresponding to a fall height of ≤ 1.00 m (please refer to price list for more detailed information)

Foundations

Foundations are usually not required for sandstone marble runs because of their high dead weight. Due the high dead weight, the site must be accessible with a lifting equipment.

Attention:

Exact measurements may vary; for all installation dimensions refer to current assembly instructions.
 Technical changes reserved.

Technical information

Equipment made of sandstone from the Elbe Sandstone Mountains, Saxony, Germany

Yellow to greyish-white in colour, some parts show a very vivid texture, very fine-grained

Sandstone is a natural rock, untreated and free of pollutants

Each marble run is unique and is made on demand.
 The individual marble runs fall into place during the work

Dimensions

(small deviations possible)

Order No. 8.11000

Small Sandstone marble run

Length	0.80 m
Width	0.60 m
Height	0.60 m
Weight	600 kg

Order No. 8.11100

Middle Sandstone marble run

Length	1.00 m
Width	0.80 m
Height	0.80 m
Weight	1300 kg

Order No. 8.11200

Big Sandstone marble run

Length	1.20 m
Width	1.00 m
Height	0.80 m
Weight	2000 kg

Modular construction is also possible, i.e., the different sizes can be extended individually.

As for the marbles we recommend a $\varnothing \geq 32$ mm, as a smaller diameter is not suitable for children under 36 months due to the risk of swallowing.



8.11000



8.11100



8.11200

Play value

Our Tic Tac Toe promotes logical thinking and strategic acting. It is played on a vertical playing field where the players can move their turnable timber pieces, after choosen there themes. The player who first manages to line up at least three of their theme horizontally, vertically or diagonally is the winner. If the playing field is completely filled in without either of the players managing to create a row of three, the game is called a draw.

Fundamental characteristics

- Attractive design
- Incentive for playing: turn, push, recognise, assign

Recommended for

- Kindergarten children
- School children
- Young people
- Adults
- Older people
- Supervised play areas, such as kindergartens, schools, after- school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar

Barrier-free

- Independent play




Tic Tac Toe



Order No. 9.15300
Tic Tac Toe

Safety distance →
Device dimensions —●—
Functional distance —|—



Scale 1:100

Safety check according to DIN EN 1176

Components

- 1 Frame with panel,
incl. 4 heavy-duty anchors

Installation information

Surfacing requirements
no requirements

Foundations
2 items 40 x 40 x 40 cm
Excavation depth 60 cm

Attention:
Exact measurements may vary;
for all installation dimensions refer
to current assembly instructions.
Technical changes reserved.

Technical information

Frame and standposts made of stainless steel; glass bead blasted

Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



For more detailed explanation of the quality characteristics see price list.

9 pairs of turnable timber pieces made of oiled mountain larch with Tic Tac Toe theme on two sides, mounted in sliding bushes

Dimensions

(small deviations possible)

Height	1.25 m
Length	0.85 m
Width	0.10 m
Play area	0.70 x 0.70 m
Weight	45 kg



9.15300

Play value

The Marbles Table can be compared to the popular „Mouse hunt“. By moving the marbles table you can drop the marbles in the holes. Skill and coordination are called for, especially if this game is being played by several people.



Marbles Table

Recommended for

- School children
- Young people
- Adults
- Older people
- Public play areas without supervision, such as playgrounds, parks or similar

Barrier-free


- Independent play



9.15400

Order No. 9.15400
Marbles Table

Safety distance →
Device dimensions —●—
Functional distance —|—



Scale 1:50

Safety check according to DIN EN 1176

Components

- 1 Marbles Table
- 1 Support post with 4 heavy-duty anchors

Installation information

Surfacing requirements
no requirements

Foundations
1 item 60 x 70 x 40 cm
Excavation depth 60 cm

Attention:
Exact measurements may vary;
for all installation dimensions refer
to current assembly instructions.
Technical changes reserved.

Technical information

Equipment made of stainless steel

Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape



Adjustable

Adjustable two-piece bolt connection, easy to maintain, no projecting threads



HPL ground anchor

Foundation anchor made of phenol resin paper-based laminates



For more detailed explanation of the quality characteristics see price list.

Sandwich construction foot, oiled, non-positive fitting

Dish made of stainless steel, glass-bead blasted

Cover made of single-pane safety glass, 10 mm

Marbles Ø 25 mm made of POM (18 pieces)

Support made of rubber buffers for controlled rocking movement incl. anti-twist protection

Handle balls made of polyamide

Dimensions

(small deviations possible)

Height	0.90 m
Diameter	1.10 m
Weight	195 kg



9.15400

Play value

„The best preparation for maths is not practising maths, but climbing trees,” says renowned neurobiologist Gerald Hüther. Climbing connects both sides of the brain and promotes motor, cognitive and social skills. In addition, children learn to take responsibility in a playful way. With the Net Pyramid, we experience these phenomena. In addition, its interesting design attracts attention from afar. The three-dimensional net structure of the equipment provides children with a variety of challenges and stimulates their creativity. The Net Pyramid can be climbed, scaled, and explored.



Order No. 13.01000 Small Net Pyramid.



Order No. 13.01001 Optionally available element



Order No. 13.02000 Middle Net Pyramid. The Photo shows the basic equipment incl. all optionally available installation elements.

It enables children to experience height and creates tactile sensations to their hands and feet. In addition, the equipment offers attractive seating for resting, observing, and talking, e.g., if supplemented by our optional hanging seats. Different levels and paths, which encourage a wide variety of movement and role-playing games, also promote concentration and dexterity.

Fundamental characteristics

- Impressive design statement
- Very special appeal
- Attractive meeting point
- No pre-determined play procedures, also able to be used as stands for spectators, individual mastering
- Incentive for playing: experiencing height
- Movement: climbing up and around, balance

Recommended for

- School children
- Young people
- Supervised play areas, such as schools, after-school programmes or similar
- Public play areas without supervision, such as playgrounds, parks or similar
- Leisure parks

Planning information

The basic unit can be optionally equipped with further built-in elements, e.g. with Pair of Hanging Seats (1 Pair) (Order No. 13.01001 / 13.02001 / 13.03001) or Toddler's Trail (Order No. 13.01002 / 13.02002 / 13.03002).

**Small Net Pyramid
Middle Net Pyramid
Big Net Pyramid**



13.01000




13.02000



13.03000

Order No. 13.01000
Small Net Pyramid

Safety distance →
 Device dimensions —●—
 Functional distance —|—



Scale 1:100

Safety check according to DIN EN 1176

Components

- 1 Spatial net structure
- 2 Pylons with screwed-on handles
- 2 Transition planks
- Anchorage accessories

Utility Model

20 2022 106 420 Germany

Installation information

Surfacing requirements
 corresponding to a fall height of ≤ 3.00 m
 (please refer to price list for more
 detailed information)

Foundation
Order No. 13.01000

- 1 item 100 x 100 x 70 cm
- 4 items 100 x 140 x 70 cm
- Excavation depth 110 cm

Order No. 13.02000

- 1 item 100 x 100 x 70 cm
- 4 items 100 x 150 x 70 cm
- Excavation depth 110 cm

Order No. 13.03000

- 1 item 120 x 120 x 80 cm
- 4 items 120 x 180 x 80 cm
- Excavation depth 120 cm



13.01000



13.02000



13.03000

Technical information

Equipment made of rope and
 non-impregnated mountain larch

Peeled white

Palisades peeled white means that bark, cambium and sapwood are removed, the natural shape of the trunk is preserved and can be experienced


Core-free

Sawn-timbers core-free, thus decreasing occurrences of cracking and undesired changes in shape


Richter Hercules type rope

Richter Hercules type rope, a combination of galvanised six-strand steel cables and polyester yarn, diameter > 20 mm, laid and glued with very good abrasion resistance, strong sheathing even in the case of damage by puncturing


Aluminium rope pressing

Aluminium rope pressing, cylindrically pressed, with rounded ends


S-connectors

S-connectors $\varnothing 8.1$ mm, made of high-quality stainless steel, rounded


Ground anchor

All parts used for anchoring to the ground are made of hot-dip galvanised steel or stainless steel



For more detailed explanation of the quality characteristics see price list.

Standard colour rope: green

Dimensions

(small deviations possible)

Order No. 13.01000
Small Net Pyramid

Height	4.40 m
Length	6.40 m
Width	6.40 m
Weight	approx. 500 kg
Space required	9.50 x 8.90 m

Order No. 13.02000
Middle Net Pyramid

Height	5.30 m
Length	7.70 m
Width	7.70 m
Weight	approx. 600 kg
Space required	10.90 x 10.40 m

Order No. 13.03000
Big Net Pyramid

Height	6.30 m
Length	8.80 m
Width	8.80 m
Weight	approx. 750 kg
Space required	12.40 x 11.90 m

Attention:

Exact measurements may vary; for all installation dimensions refer to current assembly instructions.

Technical changes reserved.

Equipment also available with posts made of glued laminated beams (Order No. 13.01100 / 13.02100 / 13.03100).